



City of Austin

Purchasing Office

P.O. Box 1088, Austin, TX 78767

December 16, 2020

Recommendation for Award of IFB 1100 MEA1025, Ropes, Cords & Slings.

Thank you for your response to the above referenced solicitation for the City of Austin. Purchasing staff has completed their evaluation and has recommended awarding to Stuart C Irby Company.

Line Item 6, & 10-14

Thank you for your continued interest in doing business with the City of Austin.

Kind regards,

Maria Andrade
Procurement Specialist II
512-972-9424
Maria.Andrade@austintexas.gov
City of Austin
Purchasing Office



City of Austin

Purchasing Office

P.O. Box 1088, Austin, TX 78767

December 16, 2020

Recommendation for Award of IFB 1100 MEA1025, Ropes, Cords & Slings.

Thank you for your response to the above referenced solicitation. Purchasing staff has completed their evaluation and has recommended awarding to Colonna Group LLC the following line items:

Line Items 1-5, 7-9 & 15-16

Thank you for your continued interest in doing business with the City of Austin.

Kind regards,

Maria Andrade
Procurement Specialist II
512-972-9424
Maria.Andrade@austintexas.gov
City of Austin
Purchasing Office

BID TAB CITY OF AUSTIN ROPES,CORDS & SLINGS													
Solicitation No.		IFB 1100 MEA1025											
RX No.		20100700028											
Opening Date:		11/3/2020											
Buyer:		Maria Andrade											
Receipt No.						1		2		3		4	
Vendor Name						Techline		The Colonna Group LLC		Sid Tool Company Inc		Stuart C Irby Company	
Local Presence (Y/N)						Y		N		N		N	
MBE/WBE						N		N		N		N	
ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION	EST. QTY.	U/M	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	
1	9522	ROPE, MANILA, 1/2" DIAMETER, 3-STRAND, UNTARRED AND WATER-PROOFED, MINIMUM AVERAGE STRENGTH 2,650 LBS.	2,600	FT	**	**	\$0.11	\$286.00	*	*	NO BID	NO BID	
2	9526	ROPE, 1/4 INCH, YELLOW, POLYPROPYLENE, 600 FT/ ROLL.(REEL SIZE: 17" WIDE X 18" HIGH, MAX)	18,400	FT	**	**	\$0.06	\$1,104.00	*	*	NO BID	NO BID	
3	9527	ROPE, 3/8 INCH, POLYPROPYLENE, YELLOW, 600 FT/ REEL (REEL SIZE: 17" WIDE X 18" HIGH, MAX.)	800	FT	**	**	\$0.08	\$64.00	*	*	NO BID	NO BID	
4	9529	ROPE, HAND/PILOT LINE, 3/8 INCH DIAMETER SINGLE BRAID 12-STRAND, POLYESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAKING STRENGTH OF 4,000 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.	6,400	FT	**	**	\$0.37	\$2,368.00	*	*	\$0.57	\$3,648.00	
5	9530	ROPE, HAND/PILOT LINE, 1/2 " INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE CAPABLE OF AN 1,100 LB. WORKING LOAD AND RATED AT AN AVERAGE BREAK STRENGTH OF 6,900 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.	10,000	FT	**	**	\$0.63	\$6,300.00	*	*	\$0.94	\$9,400.00	
6	9531	ROPE, HAND/PILOT LINE 3/4" INCH DIAMETER SINGLE BRAID 12-STRAND POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 14,800 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS ON QUALIFIED PRODUCTS LIST EL1262 SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.	2,000	FT	**	**	\$1.30	\$2,600.00	*	*	\$1.27	\$2,540.00	
7	9532	ROPE, HAND/PILOT LINE, 5/8" INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 11,600 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.	5,600	FT	**	**	\$1.01	\$5,656.00	*	*	\$1.02	\$5,712.00	
8	9537	CORD SASH, OLEFIN MULTI-FILAMENT POLYPROPYLENE, 100FT/ROLL HANKS SIZE #8, 1/4 INCH DIAMETER.	363	EA	**	**	\$11.69	\$4,243.47	*	*	NO BID	NO BID	
9	9538	CORD, SASH, COTTON, 100 FOOT HANKS, SIZES #8, 1/4 INCH DIAMETER	110	EA	**	**	\$14.59	\$1,604.90	*	*	NO BID	NO BID	
10	9607	SLING, ENDLESS LOOP,(CONTINUOUS LOOP), 3 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604	29	EA	**	**	\$26.03	\$754.87	*	*	\$9.70	\$281.30	
11	9608	SLING, ENDLESS LOOP, (CONTINOUS LOOP), 6 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604	46	EA	**	**	\$40.34	\$1,855.64	*	*	\$15.17	\$697.82	
12	9609	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 9 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB,TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604	46	EA	**	**	\$54.64	\$2,513.44	*	*	\$19.92	\$916.32	
13	9610	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 12 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND A BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMAINTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604	43	EA	**	**	\$68.94	\$2,964.42	*	*	\$23.84	\$1,025.12	
14	9612	SLING, ENDLESS LOOP, (CONTINOUS LOOP), 20 FEET LONG, SINGLE PLY,2" WIDTH, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH.	33	EA	**	**	\$107.08	\$3,533.64	*	*	\$36.36	\$1,199.88	
15	9615	SLING, ADJUSTABLE ROPE, 5/8", HIGH TENACITY POLYESTER WITH ORANGE OR RED URETHANE COATING. VERTICAL RATING 3,203 LBS., CHOKER RATINGS 2,562 LBS., BASKET RATING 6,406 LBS. ON QPL EL-1209	40	EA	**	**	\$57.52	\$2,300.80	*	*	NO BID	NO BID	
16	24346	ROPEMADE WITH DYNEEMA FIBER WITH A SAMTHANE COATING, LIGHTWEIGHT, 12STRAND CLASS II. NAME OF ROPE IS "AMSTEEL-BLUE". SPECIFICGRAVITY 0.98, 5/16INCH IN DIAMETER, WITH A 6 INCH EYE AT EACH END. ROPE SHALL COME ON1000 FOOT REELS.	6	REEL	**	**	\$1,359.00	\$8,154.00	*	*	NO BID	NO BID	
TOTAL BID					\$0.00		\$46,303.18		\$0.00		\$25,420.44		

Note:

*Deemed Non-Responsive - did not meet the requirements of the solicitation.
**Offer withdrawn by respondent.

Award Method:

Line by line

Prepared By:



Katie Greenwood

Approved By:

Maria Andrade

Yellow notates award.

Solicitation Number: IFB 1100 MEA1025



For more information, you may contact the Purchasing Office by:
Phone – 512-974-2500
Email – PurchInfo@austintexas.gov
Physical Address – 124 W. 8th St., Third floor, Austin, TX 78701
Hours of Operation – Monday-Friday 7:45 a.m. to 4:45 p.m.

X

Revised 07/2020

**PRICE SHEET
CITY OF AUSTIN
PURCHASING OFFICE
ROPES, CORDS & SLINGS**

SOLICITATION NO.: IFB 1100 MEA1025
RQM No. 20100700028
OPENING DATE: 11/3/2020
BUYER: Maria Andrade

BIDDERS SHALL ENTER THE PROPOSED MANUFACTURER AND PART NUMBER IN THE SPACE PROVIDED.

*****THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES*****

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION			EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
1	9522	ROPE, MANILA, 1/2" DIAMETER, 3-STRAND, UNTARRED AND WATER-PROOFED, MINIMUM AVERAGE STRENGTH 2,650 LBS.			2,600	FT	2-3 days	\$0.18	\$468.00
		APPROVED MFG / Part No.		FRANK WINNE / 16023 SAMSON CONTR/ 1500-00030					
		MFG	Worksmart	P/N 45900560					
2	9526	ROPE, 1/4 INCH, YELLOW, POLYPROPYLENE, 600 FT/ ROLL.(REEL SIZE: 17" WIDE X 18" HIGH, MAX)			18,400	FT	7-10 days	\$0.04	\$736.00
		APPROVED MFG / Part No.		AMERICANROPE / PRO-14-RLT TUBBS / 38035 APEX PINNACLE / P900650600Y01 SOUTHWEST OCEAN SERVICES / 2000-00050					
		MFG	Worksmart	P/N 45900263 (Sold in multiples of 600 feet)					
3	9527	ROPE, 3/8 INCH, POLYPROPYLENE, YELLOW, 600 FT/ REEL (REEL SIZE: 17" WIDE X 18" HIGH, MAX.)			800	FT	2-3 days	\$0.07	\$56.00
		APPROVED MFG / Part No.		APEX PINNACLE / P902450600Y01 SOUTHWEST OCEAN SRV / 2000-00130 TUBBS / 38044 WELLINGTON / 4100R					
		MFG	Worksmart	P/N 45900305 (Sold in multiples of 600 feet)					
4	9529	ROPE, HAND/PILOT LINE, 3/8 INCH DIAMETER SINGLE BRAID 12-STRAND, POLYESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAKING STRENGTH OF 4,000 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.			6,400	FT	90 Day Lead Time	\$0.49	\$3,136.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-12-00600 SOUTHWEST OCEAN SRV / 36038600					
		MFG	Frank Winne	P/N 96491717 (Sold in Multiples of 600 feet)					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION			EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
5	9530	ROPE, HAND/PILOT LINE, 1/2 " INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE CAPABLE OF AN 1,100 LB. WORKING LOAD AND RATED AT AN AVERAGE BREAK STRENGTH OF 6,900 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.			10,000	FT	90 Day Lead Time	\$0.75	\$7,500.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-16-00600 WELLINGTON /POLY PLEX SOUTHWEST OCEAN SRV / 36012600					
		MFG	Frank Winne	P/N					
6	9531	ROPE, HAND/PILOT LINE 3/4" INCH DIAMETER SINGLE BRAID 12-STRAND POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 14,800 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS ON QUALIFIED PRODUCTS LIST EL1262 SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.			2,000	FT	90 Day Lead Time	\$1.65	\$3,300.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-24-00600 SAMSON ROPE TECH / 36034600					
		MFG	Frank Winne	P/N					
7	9532	ROPE, HAND/PILOT LINE, 5/8" INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 11,600 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.			5,600	FT	2-3 days	\$1.26	\$7,056.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-20-00600 SAMSON ROPE TECH / 360-040-006030					
		MFG	Frank Winne	P/N					
8	9537	CORD SASH, OLEFIN MULTI-FILAMENT POLYPROPYLENE, 100FT/ROLL HANKS SIZE #8, 1/4 INCH DIAMETER.			363	EA	2-3 days	\$6.60	\$2,395.80
		APPROVED MFG / Part No.		FRANK WINNE / 38092 SAMSON ROPE / 21016001060 WELLINGTON / J5016S0100					
		MFG	Worksmart	P/N					
9	9538	CORD, SASH, COTTON, 100 FOOT HANKS, SIZES #8, 1/4 INCH DIAMETER			110	EA	2-3 days	\$9.15	\$1,006.50
		APPROVED MFG / Part No.		FRANK WINNE / 45052 SAMSON ROPE / 2016001060 WELLINGTON / A3116H0100H1.0					
		MFG	Worksmart	P/N					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION			EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
10	9607	SLING, ENDLESS LOOP,(CONTINUOUS LOOP), 3 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604			29	EA	2-3 days	\$10.35	\$300.15
		APPROVED MFG / Part No.		D&AWIRE ROPE / EN1-902 X 3FT HERCULES / EN1-902 X 3FT LIFT-ALL / EN1-802D X 3FT					
		MFG	Lift-All	P/N					
11	9608	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 6 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604			46	EA	2-3 days	\$15.75	\$724.50
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 6FT D&AWIRE ROPE / EN1-902 X 6FT HERCULES / EN1-902 X 6FT LIFT-ALL / EN1-802D X 6FT					
		MFG	Lift-All	P/N					
12	9609	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 9 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB,TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604			46	EA	5-7 Days	\$22.77	\$1,047.42
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 9FT D&AWIRE ROPE / EN1-902 X 9FT HERCULES / EN1-902 X 9FT LIFT-ALL / EN1-802D X 9FT					
		MFG	Lift-All	P/N					
13	9610	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 12 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND A BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMAINTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604			43	EA	2-3 days	\$27.99	\$1,203.57
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 12FT D&AWIRE ROPE / EN1-902 X 12FT HERCULES / EN1-902 X12FT LIFT-ALL / EN1-802D X 12FT					
		MFG	Lift-All	P/N					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION		EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
14	9612	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 20 FEET LONG, SINGLE PLY, 2" WIDTH, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICAL LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACITIES, ANSI B30.9, AND LENGTH.		33	EA	2-3 days	\$45.86	\$1,513.38
		APPROVED MFG / Part No.	AMERICAN SLING / EN1-902 X 20FT D&AWIRE ROPE / EN1-902 X 20FT HERCULES / EN1-902 X 20FT LIFT-ALL / EN1-802D X 20FT					
		MFG	Lift-All					
15	9615	SLING, ADJUSTABLE ROPE, 5/8", HIGH TENACITY POLYESTER WITH ORANGE OR RED URETHANE COATING. VERTICAL RATING 3,203 LBS., CHOKER RATINGS 2,562 LBS., BASKET RATING 6,406 LBS. ON QPL EL-1209		40	EA	No Bid		\$0.00
		APPROVED MFG / Part No.	D&AWIRE ROPE / AD-625-48 SW OCEAN SRV / AD-625-48 YALE CORD / 9334OUMJ32X048					
		MFG	No Bid					
16	24346	ROPEMADE WITH DYNEEMA FIBER WITH A SAMTHANE COATING, LIGHTWEIGHT, 12STRAND CLASS II. NAME OF ROPE IS "AMSTEEL-BLUE", SPECIFIC GRAVITY 0.98, 5/16 INCH IN DIAMETER, WITH A 6 INCH EYE AT EACH END. ROPE SHALL COME ON 1000 FOOT REELS.		6	REEL	7-14 Days	\$1,625.12	\$9,750.72
		APPROVED MFG / Part No.	SAMSON ROPE / AMSTEEL-BLUE 872 (2200-05180)					
		MFG	Frank Winne					
TOTAL BID							\$40,194.04	
NON-SPECIFIED ITEMS								
ITEM NO.	STOCK NO.	The City reserves the right to add additional items not specified above.				% MARKUP OVER MFG'S CONFIGURED PRICE		
17	None	The City may purchase additional related items that are available from the Contractor in various quantities. Pricing for these non-specified items will be calculated based on a percentage markup over Contractors cost as identified in the Price Sheet under the Non-Specified Parts Section. Reference Solicitation Instructions Section 4.8 (Pricing Requirements - Non-Specified Items).				25%		
DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED								
DELIVERY METHOD: <input checked="" type="checkbox"/> COMMON CARRIER (FedEx, UPS) <input type="checkbox"/> VENDOR DELIVERY COMPANY NAME: <u>Sid Tool Copmany dba MSC Industrial Supply Co. Inc.</u>								

**PRICE SHEET
CITY OF AUSTIN
PURCHASING OFFICE
ROPES, CORDS & SLINGS**

SOLICITATION NO.: IFB 1100 MEA1025
RQM No. 20100700028
OPENING DATE: 11/3/2020
BUYER: Maria Andrade

BIDDERS SHALL ENTER THE PROPOSED MANUFACTURER AND PART NUMBER IN THE SPACE PROVIDED.

*******THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES*******

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
1	9522	ROPE, MANILA, 1/2" DIAMETER, 3-STRAND, UNTARRED AND WATER-PROOFED, MINIMUM AVERAGE STRENGTH 2,650 LBS.				2,600	FT	No	Bid	-
		APPROVED MFG / Part No.		FRANK WINNE / 16023 SAMSON CONTR/ 1500-00030						
		MFG		P/N						
2	9526	ROPE, 1/4 INCH, YELLOW, POLYPROPYLENE, 600 FT/ ROLL.(REEL SIZE: 17" WIDE X 18" HIGH, MAX)				18,400	FT	No	Bid	-
		APPROVED MFG / Part No.		AMERICANROPE / PRO-14-RLT TUBBS / 38035 APEX PINNACLE / P900650600Y01 SOUTHWEST OCEAN SERVICES / 2000-00050						
		MFG		P/N						
3	9527	ROPE, 3/8 INCH, POLYPROPYLENE, YELLOW, 600 FT/ REEL (REEL SIZE: 17" WIDE X 18" HIGH, MAX.)				800	FT	No	Bid	-
		APPROVED MFG / Part No.		APEX PINNACLE / P902450600Y01 SOUTHWEST OCEAN SRV / 2000-00130 TUBBS / 38044 WELLINGTON / 4100R						
		MFG		P/N						
4	9529	ROPE, HAND/PILOT LINE,3/8 INCH DIAMETER SINGLE BRAID 12-STRAND, POLYESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAKING STRENGTH OF 4,000 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				6,400	FT	28	\$0.57	\$3,648.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-12-00600 SOUTHWEST OCEAN SRV / 36038600						
		MFG	New England Rope	P/N	DA-PRO-1300-12-00600					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
5	9530	ROPE, HAND/PILOT LINE, 1/2 " INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE CAPABLE OF AN 1,100 LB. WORKING LOAD AND RATED AT AN AVERAGE BREAK STRENGTH OF 6,900 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				10,000	FT	28	\$0.94	\$9,400.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-16-00600 WELLINGTON /POLY PLEX SOUTHWEST OCEAN SRV / 36012600						
		MFG	New England Rope		P/N					
6	9531	ROPE, HAND/PILOT LINE 3/4" INCH DIAMETER SINGLE BRAID 12-STRAND POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 14,800 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS ON QUALIFIED PRODUCTS LIST EL1262 SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				2,000	FT	28	\$1.27	\$2,540.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-24-00600 SAMSON ROPE TECH / 36034600						
		MFG	New England Rope		P/N					
7	9532	ROPE, HAND/PILOT LINE, 5/8" INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 11,600 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				5,600	FT	28	\$1.02	\$5,712.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-20-00600 SAMSON ROPE TECH / 360-040-006030						
		MFG	New England Rope		P/N					
8	9537	CORD SASH, OLEFIN MULTI-FILAMENT POLYPROPYLENE, 100FT/ROLL HANKS SIZE #8, 1/4 INCH DIAMETER.				363	EA	No	Bid	-
		APPROVED MFG / Part No.		FRANK WINNE / 38092 SAMSON ROPE / 21016001060 WELLINGTON / J5016S0100						
		MFG			P/N					
9	9538	CORD, SASH, COTTON, 100 FOOT HANKS, SIZES #8, 1/4 INCH DIAMETER				110	EA	No	Bid	-
		APPROVED MFG / Part No.		FRANK WINNE / 45052 SAMSON ROPE / 2016001060 WELLINGTON / A3116H0100H1.0						
		MFG			P/N					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
10	9607	SLING, ENDLESS LOOP,(CONTINUOUS LOOP), 3 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				29	EA	28	\$9.70	\$281.30
		APPROVED MFG / Part No.		D&AWIRE ROPE / EN1-902 X 3FT HERCULES / EN1-902 X 3FT LIFT-ALL / EN1-802D X 3FT						
		MFG	Lift-All		P/N					
11	9608	SLING, ENDLESS LOOP, (CONTINOUS LOOP), 6 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				46	EA	28	\$15.17	\$697.82
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 6FT D&AWIRE ROPE / EN1-902 X 6FT HERCULES / EN1-902 X 6FT LIFT-ALL / EN1-802D X 6FT						
		MFG	Lift-All		P/N					
12	9609	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 9 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB,TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				46	EA	28	\$19.92	\$916.32
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 9FT D&AWIRE ROPE / EN1-902 X 9FT HERCULES / EN1-902 X 9FT LIFT-ALL / EN1-802D X 9FT						
		MFG	Lift-All		P/N					
13	9610	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 12 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND A BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMAINTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				43	EA	28	\$23.84	\$1,025.12
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 12FT D&AWIRE ROPE / EN1-902 X 12FT HERCULES / EN1-902 X12FT LIFT-ALL / EN1-802D X 12FT						

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
		MFG	Lift-All	P/N	EN1-802DX12FT					
14	9612	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 20 FEET LONG, SINGLE PLY, 2" WIDTH, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH.				33	EA	28	\$36.36	\$1,199.88
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 20FT D&AWIRE ROPE / EN1-902 X 20FT HERCULES / EN1-902 X 20FT LIFT-ALL / EN1-802D X 20FT						
		MFG	Lift-All	P/N	EN1-802DX20FT					
15	9615	SLING, ADJUSTABLE ROPE, 5/8", HIGH TENACITY POLYESTER WITH ORANGE OR RED URETHANE COATING. VERTICAL RATING 3,203 LBS., CHOKER RATINGS 2,562 LBS., BASKET RATING 6,406 LBS. ON QPL EL-1209				40	EA	No	Bid	-
		APPROVED MFG / Part No.		D&AWIRE ROPE / AD-625-48 SW OCEAN SRV / AD-625-48 YALE CORD / 9334OUMJ32X048						
		MFG		P/N						
16	24346	ROPEMADE WITH DYNEEMA FIBER WITH A SAMTHANE COATING, LIGHTWEIGHT, 12STRAND CLASS II. NAME OF ROPE IS "AMSTEEL-BLUE", SPECIFICGRAVITY 0.98, 5/16INCH IN DIAMETER, WITH A 6 INCH EYE AT EACH END. ROPE SHALL COME ON1000 FOOT REELS.				6	REEL	No	Bid	-
		APPROVED MFG / Part No.		SAMSON ROPE / AMSTEEL-BLUE 872 (2200-05180)						
		MFG		P/N						
TOTAL BID									\$25,420.44	
NON-SPECIFIED ITEMS										
ITEM NO.	STOCK NO.	The City reserves the right to add additional items not specified above.					% MARKUP OVER MFG'S CONFIGURED PRICE			
17	None	The City may purchase additional related items that are available from the Contractor in various quantities. Pricing for these non-specified items will be calculated based on a percentage markup over Contractors cost as identified in the Price Sheet under the Non-Specified Parts Section. Reference Solicitation Instructions Section 4.8 (Pricing Requirements - Non-Specified Items).					20%			
DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED										
DELIVERY METHOD: <input checked="" type="checkbox"/> COMMON CARRIER (FedEx, UPS) <input type="checkbox"/> VENDOR DELIVERY COMPANY NAME: <u>Irby</u>										

**PRICE SHEET
CITY OF AUSTIN
PURCHASING OFFICE
ROPES, CORDS & SLINGS**

SOLICITATION NO.: IFB 1100 MEA1025
RQM No. 20100700028
OPENING DATE: 11/3/2020
BUYER: Maria Andrade

BIDDERS SHALL ENTER THE PROPOSED MANUFACTURER AND PART NUMBER IN THE SPACE PROVIDED.

*******THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES*******

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION					EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
1	9522	ROPE, MANILA, 1/2" DIAMETER, 3-STRAND, UNTARRED AND WATER-PROOFED, MINIMUM AVERAGE STRENGTH 2,650 LBS.					2,600	FT	5	\$0.13	\$338.00
		APPROVED MFG / Part No.		FRANK WINNE / 16023 SAMSON CONTR/ 1500-00030							
		MFG	SOUTHWEST OCEAN SERVICES		P/N	1500-00030					
2	9526	ROPE, 1/4 INCH, YELLOW, POLYPROPYLENE, 600 FT/ ROLL.(REEL SIZE: 17" WIDE X 18" HIGH, MAX)					18,400	FT	5	\$0.03	\$552.00
		APPROVED MFG / Part No.		AMERICANROPE / PRO-14-RLT TUBBS / 38035 APEX PINNACLE / P900650600Y01 SOUTHWEST OCEAN SERVICES / 2000-00050							
		MFG	SOUTHWEST OCEAN SERVICES		P/N	2000-00050					
3	9527	ROPE, 3/8 INCH, POLYPROPYLENE, YELLOW, 600 FT/ REEL (REEL SIZE: 17" WIDE X 18" HIGH, MAX.)					800	FT	5	\$0.05	\$40.00
		APPROVED MFG / Part No.		APEX PINNACLE / P902450600Y01 SOUTHWEST OCEAN SRV / 2000-00130 TUBBS / 38044 WELLINGTON / 4100R							
		MFG	SOUTHWEST OCEAN SERVICES		P/N	2000-00130					
4	9529	ROPE, HAND/PILOT LINE,3/8 INCH DIAMETER SINGLE BRAID 12-STRAND, POLYESTER JACKET STRANDS PLYED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAKING STRENGTH OF 4,000 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.					6,400	FT	10	\$0.41	\$2,624.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-12-00600 SOUTHWEST OCEAN SRV / 36038600							
		MFG	SOUTHWEST OCEAN SERVICES		P/N	36038600					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
5	9530	ROPE, HAND/PILOT LINE, 1/2 " INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE CAPABLE OF AN 1,100 LB. WORKING LOAD AND RATED AT AN AVERAGE BREAK STRENGTH OF 6,900 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				10,000	FT	10	\$0.73	\$7,300.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-16-00600 WELLINGTON /POLY PLEX SOUTHWEST OCEAN SRV / 36012600						
		MFG	SOUTHWEST OCEAN SERVICES		P/N					
6	9531	ROPE, HAND/PILOT LINE 3/4" INCH DIAMETER SINGLE BRAID 12-STRAND POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 14,800 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS ON QUALIFIED PRODUCTS LIST EL1262 SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				2,000	FT	10	\$1.58	\$3,160.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-24-00600 SAMSON ROPE TECH / 36034600						
		MFG	SAMSON		P/N					
7	9532	ROPE, HAND/PILOT LINE, 5/8" INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 11,600 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				5,600	FT	10	\$1.21	\$6,776.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-20-00600 SAMSON ROPE TECH / 360-040-006030						
		MFG	SAMSON		P/N					
8	9537	CORD SASH, OLEFIN MULTI-FILAMENT POLYPROPYLENE, 100FT/ROLL HANKS SIZE #8, 1/4 INCH DIAMETER.				363	EA	5	\$14.35	\$5,209.05
		APPROVED MFG / Part No.		FRANK WINNE / 38092 SAMSON ROPE / 21016001060 WELLINGTON / J5016S0100						
		MFG	SAMSON		P/N					
9	9538	CORD, SASH, COTTON, 100 FOOT HANKS, SIZES #8, 1/4 INCH DIAMETER				110	EA	5	\$17.95	\$1,974.50
		APPROVED MFG / Part No.		FRANK WINNE / 45052 SAMSON ROPE / 2016001060 WELLINGTON / A3116H0100H1.0						
		MFG	SAMSON		P/N					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
10	9607	SLING, ENDLESS LOOP,(CONTINUOUS LOOP), 3 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				29	EA	10	\$10.55	\$305.95
		APPROVED MFG / Part No.		D&AWIRE ROPE / EN1-902 X 3FT HERCULES / EN1-902 X 3FT LIFT-ALL / EN1-802D X 3FT						
		MFG	LIFT-ALL		P/N					
11	9608	SLING, ENDLESS LOOP, (CONTINOUS LOOP), 6 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				46	EA	10	\$16.55	\$761.30
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 6FT D&AWIRE ROPE / EN1-902 X 6FT HERCULES / EN1-902 X 6FT LIFT-ALL / EN1-802D X 6FT						
		MFG	LIFT-ALL		P/N					
12	9609	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 9 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB,TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				46	EA	10	\$22.55	\$1,037.30
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 9FT D&AWIRE ROPE / EN1-902 X 9FT HERCULES / EN1-902 X 9FT LIFT-ALL / EN1-802D X 9FT						
		MFG	LIFT-ALL		P/N					
13	9610	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 12 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND A BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMAINTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				43	EA	10	\$28.55	\$1,227.65
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 12FT D&AWIRE ROPE / EN1-902 X 12FT HERCULES / EN1-902 X12FT LIFT-ALL / EN1-802D X 12FT						

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
		MFG	LIFT-ALL	P/N	EN1-802D X 12FT					
14	9612	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 20 FEET LONG, SINGLE PLY,2" WIDTH, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH.				33	EA	10	\$44.55	\$1,470.15
		APPROVED MFG / Part No.	AMERICAN SLING / EN1-902 X 20FT D&AWIRE ROPE / EN1-902 X 20FT HERCULES / EN1-902 X 20FT LIFT-ALL / EN1-802D X 20FT							
		MFG	LIFT-ALL	P/N	EN1-802D X 20FT					
15	9615	SLING, ADJUSTABLE ROPE, 5/8", HIGH TENACITY POLYESTER WITH ORANGE OR RED URETHANE COATING. VERTICAL RATING 3,203 LBS., CHOKER RATINGS 2,562 LBS., BASKET RATING 6,406 LBS. ON QPL EL-1209				40	EA	5	\$81.00	\$3,240.00
		APPROVED MFG / Part No.	D&AWIRE ROPE / AD-625-48 SW OCEAN SRV / AD-625-48 YALE CORD / 9334OUMJ32X048							
		MFG	SOUTHWEST OCEAN SERVICES	P/N	AD-625-48					
16	24346	ROPEMADE WITH DYNEEMA FIBER WITH A SAMTHANE COATING, LIGHTWEIGHT, 12STRAND CLASS II. NAME OF ROPE IS "AMSTEEL-BLUE", SPECIFICGRAVITY 0.98, 5/16INCH IN DIAMETER, WITH A 6 INCH EYE AT EACH END. ROPE SHALL COME ON1000 FOOT REELS.				6	REEL	5	\$1,680.00	\$10,080.00
		APPROVED MFG / Part No.	SAMSON ROPE / AMSTEEL-BLUE 872 (2200-05180)							
		MFG	SAMSON	P/N	AMSTEEL-BLUE 872 (2200-05180)					
TOTAL BID									\$46,095.90	
NON-SPECIFIED ITEMS										
ITEM NO.	STOCK NO.	The City reserves the right to add additional items not specified above.					% MARKUP OVER MFG'S CONFIGURED PRICE			
17	None	The City may purchase additional related items that are available from the Contractor in various quantities. Pricing for these non-specified items will be calculated based on a percentage markup over Contractors cost as identified in the Price Sheet under the Non-Specified Parts Section. Reference Solicitation Instructions Section 4.8 (Pricing Requirements - Non-Specified Items).					20%			
DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED										
DELIVERY METHOD: COMMON CARRIER (FedEx, UPS) X VENDOR DELIVERY										
COMPANY NAME: Techline Inc										

**PRICE SHEET
CITY OF AUSTIN
PURCHASING OFFICE
ROPES, CORDS & SLINGS**

SOLICITATION NO.: IFB 1100 MEA1025
RQM No. 20100700028
OPENING DATE: 11/3/2020
BUYER: Maria Andrade

BIDDERS SHALL ENTER THE PROPOSED MANUFACTURER AND PART NUMBER IN THE SPACE PROVIDED.

*******THE QUANTITIES REQUESTED ARE ANNUAL ESTIMATES*******

NOTICE TO BIDDERS: PLEASE INSERT UNIT PRICE AND ALLOW FORMULAS TO CALCULATE PRIOR TO PRINTING BID SHEET.

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION					EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
1	9522	ROPE, MANILA, 1/2" DIAMETER, 3-STRAND, UNTARRED AND WATER-PROOFED, MINIMUM AVERAGE STRENGTH 2,650 LBS.					2,600	FT	3 days	\$0.11	\$286.00
		APPROVED MFG / Part No.		FRANK WINNE / 16023 SAMSON CONTR/ 1500-00030							
		MFG	FRANK WINNE		P/N	16020C					
2	9526	ROPE, 1/4 INCH, YELLOW, POLYPROPYLENE, 600 FT/ ROLL.(REEL SIZE: 17" WIDE X 18" HIGH, MAX)					18,400	FT	7-10 days	\$0.06	\$1,104.00
		APPROVED MFG / Part No.		AMERICANROPE / PRO-14-RLT TUBBS / 38035 APEX PINNACLE / P900650600Y01 SOUTHWEST OCEAN SERVICES / 2000-00050							
		MFG	SOUTHWEST OCEAN SERVICES		P/N	2000-00050					
3	9527	ROPE, 3/8 INCH, POLYPROPYLENE, YELLOW, 600 FT/ REEL (REEL SIZE: 17" WIDE X 18" HIGH, MAX.)					800	FT	7-10 days	\$0.08	\$64.00
		APPROVED MFG / Part No.		APEX PINNACLE / P902450600Y01 SOUTHWEST OCEAN SRV / 2000-00130 TUBBS / 38044 WELLINGTON / 4100R							
		MFG	SOUTHWEST OCEAN SRV		P/N	2000-00130					
4	9529	ROPE, HAND/PILOT LINE,3/8 INCH DIAMETER SINGLE BRAID 12-STRAND, POLYESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAKING STRENGTH OF 4,000 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.					6,400	FT	7-10 days	\$0.37	\$2,368.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-12-00600 SOUTHWEST OCEAN SRV / 36038600							
		MFG	SOUTHWEST OCEAN SRV		P/N	36038600					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
5	9530	ROPE, HAND/PILOT LINE, 1/2 " INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE CAPABLE OF AN 1,100 LB. WORKING LOAD AND RATED AT AN AVERAGE BREAK STRENGTH OF 6,900 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				10,000	FT	7-10 days	\$0.63	\$6,300.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-16-00600 WELLINGTON /POLY PLEX SOUTHWEST OCEAN SRV / 36012600						
		MFG	SOUTHWEST OCEAN SRV	P/N	36012600					
6	9531	ROPE, HAND/PILOT LINE 3/4" INCH DIAMETER SINGLE BRAID 12-STRAND POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 14,800 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS ON QUALIFIED PRODUCTS LIST EL1262 SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				2,000	FT	7-10 days	\$1.30	\$2,600.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-24-00600 SAMSON ROPE TECH / 36034600						
		MFG	SAMSON ROPE TECH	P/N	36034600					
7	9532	ROPE, HAND/PILOT LINE, 5/8" INCH DIAMETER SINGLE BRAID 12-STRAND, POLY- ESTER JACKET STRANDS PLIED OVER POLYOLEFIN CENTER STRAND. ROPE SHALL BE RATED AT AN AVERAGE BREAK STRENGTH OF 11,600 POUNDS. ROPE SHALL BE DELIVERED ON REELS, 600 FEET PER REEL. CERTIFIED TEST RESULTS SHOWING THE BREAKING STRENGTH OF THE ROPE SHALL BE SUPPLIED WITH THE ROPE WHEN IT IS DELIVERED.				5,600	FT	7-10 days	\$1.01	\$5,656.00
		APPROVED MFG / Part No.		NEW ENG ROPE / DA-PRO-1300-20-00600 SAMSON ROPE TECH / 360-040-006030						
		MFG	SAMSON ROPE TECH	P/N	360-040-006030					
8	9537	CORD SASH, OLEFIN MULTI-FILAMENT POLYPROPYLENE, 100FT/ROLL HANKS SIZE #8, 1/4 INCH DIAMETER.				363	EA	7-10 days	\$11.69	\$4,243.47
		APPROVED MFG / Part No.		FRANK WINNE / 38092 SAMSON ROPE / 21016001060 WELLINGTON / J5016S0100						
		MFG	SAMSON ROPE	P/N	21016001060					
9	9538	CORD, SASH, COTTON, 100 FOOT HANKS, SIZES #8, 1/4 INCH DIAMETER				110	EA	7-10 days	\$14.59	\$1,604.90
		APPROVED MFG / Part No.		FRANK WINNE / 45052 SAMSON ROPE / 2016001060 WELLINGTON / A3116H0100H1.0						
		MFG	SAMSON ROPE	P/N	2016001060					

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
10	9607	SLING, ENDLESS LOOP,(CONTINUOUS LOOP), 3 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				29	EA	4-5 days	\$26.03	\$754.87
		APPROVED MFG / Part No.		D&AWIRE ROPE / EN1-902 X 3FT HERCULES / EN1-902 X 3FT LIFT-ALL / EN1-802D X 3FT						
		MFG	HERCULES		P/N					
11	9608	SLING, ENDLESS LOOP, (CONTINOUS LOOP), 6 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				46	EA	4-5 days	\$40.34	\$1,855.64
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 6FT D&AWIRE ROPE / EN1-902 X 6FT HERCULES / EN1-902 X 6FT LIFT-ALL / EN1-802D X 6FT						
		MFG	HERCULES		P/N					
12	9609	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 9 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB,TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS., EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				46	EA	4-5 days	\$54.64	\$2,513.44
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 9FT D&AWIRE ROPE / EN1-902 X 9FT HERCULES / EN1-902 X 9FT LIFT-ALL / EN1-802D X 9FT						
		MFG	HERCULES		P/N					
13	9610	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 12 FEET LONG, SINGLE PLY, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND A BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMAINTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACTIES, ANSI B30.9, AND LENGTH. ON QPL EL-1604				43	EA	4-5 days	\$68.94	\$2,964.42
		APPROVED MFG / Part No.		AMERICAN SLING / EN1-902 X 12FT D&AWIRE ROPE / EN1-902 X 12FT HERCULES / EN1-902 X12FT LIFT-ALL / EN1-802D X 12FT						

ITEM NO.	AE STOCK NO.	ITEM DESCRIPTION				EST. QTY.	U/M	LEAD TIME (days)	UNIT PRICE	EXTENDED PRICE
		MFG	HERCULES	P/N	EN1-902 X12FT					
14	9612	SLING, ENDLESS LOOP, (CONTINUOUS LOOP), 20 FEET LONG, SINGLE PLY,2" WIDTH, POLYESTER OR NYLON WEB, TYPE 5, ANSI B30.9, DESIGNED FOR CAPACITY RATINGS OF VERTICLE LIFT 6400 LBS., CHOKER LIFT 5000 LBS. AND BASKET LIFT 12800 LBS.,EACH SLING SHALL BE PERMANENTLY MARKED TO SHOW: MANUFACTURERS NAME, MANUFACTURERS PART NUMBER, CAPACITIES, ANSI B30.9, AND LENGTH.				33	EA	4-5 days	\$107.08	\$3,533.64
		APPROVED MFG / Part No.	AMERICAN SLING / EN1-902 X 20FT D&AWIRE ROPE / EN1-902 X 20FT HERCULES / EN1-902 X 20FT LIFT-ALL / EN1-802D X 20FT							
		MFG	HERCULES	P/N	EN1-902 X 20FT					
15	9615	SLING, ADJUSTABLE ROPE, 5/8", HIGH TENACITY POLYESTER WITH ORANGE OR RED URETHANE COATING. VERTICAL RATING 3,203 LBS., CHOKER RATINGS 2,562 LBS., BASKET RATING 6,406 LBS. ON QPL EL-1209				40	EA	7-10 days	\$57.52	\$2,300.80
		APPROVED MFG / Part No.	D&AWIRE ROPE / AD-625-48 SW OCEAN SRV / AD-625-48 YALE CORD / 9334OUMJ32X048							
		MFG	SW OCEAN SRV	P/N	AD-625-48					
16	24346	ROPEMADE WITH DYNEEMA FIBER WITH A SAMTHANE COATING, LIGHTWEIGHT, 12STRAND CLASS II. NAME OF ROPE IS "AMSTEEL-BLUE", SPECIFICGRAVITY 0.98, 5/16INCH IN DIAMETER, WITH A 6 INCH EYE AT EACH END. ROPE SHALL COME ON1000 FOOT REELS.				6	REEL	7-10 days	\$1,359.00	\$8,154.00
		APPROVED MFG / Part No.	SAMSON ROPE / AMSTEEL-BLUE 872 (2200-05180)							
		MFG	SAMSON ROPE	P/N	AMSTEEL-BLUE 872 (2200-05180)					
TOTAL BID									\$46,303.18	
NON-SPECIFIED ITEMS										
ITEM NO.	STOCK NO.	The City reserves the right to add additional items not specified above.					% MARKUP OVER MFG'S CONFIGURED PRICE			
17	None	The City may purchase additional related items that are available from the Contractor in various quantities. Pricing for these non-specified items will be calculated based on a percentage markup over Contractors cost as identified in the Price Sheet under the Non-Specified Parts Section. Reference Solicitation Instructions Section 4.8 (Pricing Requirements - Non-Specified Items).					2%			
DELIVERY TERMS: DELIVERY IS TO BE FOB DESTINATION, PREPAID AND ALLOWED										
DELIVERY METHOD: COMMON CARRIER (FedEx, UPS) VENDOR DELIVERY										
COMPANY NAME: The Colonna Group LLC										